

OXFORD CAMBRIDGE AND RSA EXAMINATIONS

Advanced GCE

CHEMISTRY

Trends and Patterns



2815/01

Wednesday

25 JANUARY 2006

Afternoon

1 hour

Candidates answer on the question paper.

Additional materials:

Data Sheet for Chemistry

Scientific calculator

Candidate
Name

Centre
Number

| | | | | |
|--|--|--|--|--|
| | | | | |
|--|--|--|--|--|

Candidate
Number

| | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|

TIME 1 hour

INSTRUCTIONS TO CANDIDATES

- Write your name in the space above.
- Write your Centre number and Candidate number in the boxes above.
- Answer **all** the questions.
- Write your answers, in blue or black ink, in the spaces provided on the question paper.
- Pencil may be used for diagrams and graphs **only**.
- Read each question carefully and make sure you know what you have to do before starting your answer.
- Do not write in the bar code. Do not write in the grey area between the pages.
- **DO NOT WRITE IN THE AREA OUTSIDE THE BOX BORDERING EACH PAGE. ANY WRITING IN THIS AREA WILL NOT BE MARKED.**

INFORMATION FOR CANDIDATES

- The number of marks is given in brackets [] at the end of each question or part question.
- You will be awarded marks for the quality of written communication where this is indicated in the question.
- You may use a scientific calculator.
- You may use the *Data Sheet for Chemistry*.
- You are advised to show all the steps in any calculations.

| FOR EXAMINER'S USE | | |
|--------------------|-----------|------|
| Qu. | Max. | Mark |
| 1 | 9 | |
| 2 | 8 | |
| 3 | 7 | |
| 4 | 8 | |
| 5 | 13 | |
| TOTAL | 45 | |

This question paper consists of 8 printed pages.



- 2 One of the largest uses of phosphorus is in boxes of safety matches. A safety match ignites when it is rubbed against the striking surface of the match box.

The friction between the match head and the striking surface generates enough heat for the phosphorus to burn. This in turn provides enough energy for the decomposition of potassium chlorate(V), KClO_3 , on the match head.



Sulphur on the match stick ignites and sufficient heat is generated to ignite paraffin wax and then the wood in the match.

- (a) When the phosphorus burns, phosphorus(V) oxide forms. What is the formula of phosphorus(V) oxide?

.....[1]

- (b) Calculate the volume of oxygen, measured at room temperature and pressure, that forms when 0.368 g of potassium chlorate(V) is decomposed.

One mole of any gas occupies $24\,000\text{ cm}^3$ at room temperature and pressure.

..... volume[3]

- (c) Suggest why the match head contains potassium chlorate(V).

.....
[1]

- (d) Write the equation for the reaction between sulphur and oxygen.

.....[1]

- (e) Phosphorus(V) oxide is a simple molecular oxide.

- (i) Suggest a physical property of phosphorus(V) oxide.

.....[1]

- (ii) Suggest a chemical property of phosphorus(V) oxide.

.....[1]

[Total: 8]

[Turn over



(ii) In Stage 1, a student uses a 0.655 g sample of impure $\text{FeSO}_4 \cdot 7\text{H}_2\text{O}$.

In Stage 3, the student uses 19.6 cm^3 of $0.0180 \text{ mol dm}^{-3} \text{ Cr}_2\text{O}_7^{2-}$ to reach the end-point.

One mole of $\text{Cr}_2\text{O}_7^{2-}$ reacts with 6 moles of Fe^{2+} .

Calculate the percentage purity of the impure sample of $\text{FeSO}_4 \cdot 7\text{H}_2\text{O}$.

percentage purity [4]


[Total: 7]

[Turn over



4 Dilute aqueous copper(II) sulphate contains $[\text{Cu}(\text{H}_2\text{O})_6]^{2+}$ ions.

- (a) Concentrated hydrochloric acid is added drop by drop to a small volume of dilute aqueous copper(II) sulphate. The equation for the reaction taking place is as follows.



- (i) Describe the observations that would be made during the addition of the concentrated hydrochloric acid.

.....[1]

- (ii) Describe the bonding within the complex ion, $[\text{CuCl}_4]^{2-}$.

.....

.....

.....[2]

- (b) Concentrated aqueous ammonia is added drop by drop to aqueous copper(II) sulphate until present in excess. Two reactions take place, one after the other, to produce the complex ion $[\text{Cu}(\text{NH}_3)_4(\text{H}_2\text{O})_2]^{2+}$.

Describe the observations that would be made during the addition of concentrated aqueous ammonia.


.....

.....

.....[2]

- (c) Ammonia is a simple molecule. The H—N—H bond angle in an isolated ammonia molecule is 107° .

The diagram shows part of the $[\text{Cu}(\text{NH}_3)_4(\text{H}_2\text{O})_2]^{2+}$ ion and the H—N—H bond angle in the ammonia ligand.



Explain why the H—N—H bond angle in the ammonia ligand is 109.5° rather than 107° .

.....

.....

.....

.....[3]

[Total: 8]



